

VINTAGE TOSHIBA MODELS CHART FOR: PURE DOS SOUND / MIDI / JOYSTICK FEATURE IN DOCKING STATIONS							
NOTE: ONLY SATELLITE PRO AND TECRA HAVE DOCKING STATION CONNECTORS							
"SOUND BLASTER HW" MEANS FULL SOUND BLASTER HARDWARE COMPATIBILITY FOR PURE DOS							
DSV+ MEANS DOCKING STATION V+							
"NO MIDI" MEANS THE DOCKING STATION DOES NOT HAVE MIDI/JOYSTICK PORT							
MODEL	PROCESSOR	SCREEN SIZE	SCREEN RES	SOUND BLASTER HW	DOCKING 1	DOCKING 2	DOCKING 3
300CT	P1 133	10.4"	1024 x 600	Yamaha OPL3-SA3	PA2661 NO MIDI		
320CT	P1 266	10.4"	1024 x 600	Yamaha OPL3-SA3	PA2661 NO MIDI	PA2662 NO MIDI	
610CT	P1 90	9.5"	640 x 480	ESS688 & YMF262	PA2703U NO MIDI		
620CT	P1 100	10.4"	?	?	?	?	
650CT	P1 133	11.2"	800 x 600	CS4232 & YMF262	PA2710U DSV+	PA2713	
660CT	P1 150	11.3"	800 x 600	Yamaha OPL3-SA2	PA2710U DSV+	PA2713	
SATELLITE 100CS	P1 75	10.4	640 x 480	?	PA2711	NWPR100 NO MIDI	
SATELLITE 110CT	P1 100	11.3	800 x 600	?	PA2711	NWPR100 NO MIDI	
SATELLITE 200CDS	P1 100	11.3	800 x 600	ESS688 & YMF262	PA2711		
SATELLITE 310CDT	P1 200	12.1	800 x 600	Yamaha OPL3-SA3	NO DOCKING		
SATELLITE 320CDT	P1 233	12.1	800 x 600	Yamaha OPL3-SA3	NO DOCKING		
SATELLITE 330CDT	?	?	?	?	NO DOCKING		
SATELLITE 2100CDT	AMD K6-2 400	12.1	800 x 600	ES1978S & ESS 1918S	NO DOCKING		
SATELLITE 2180CDT	AMD K6-2 475	12.1	800 x 600	ES1978S	NO DOCKING		

SATELLITE 2210CDT	CELERON 500	12.1	800 x 600	ES1978S	NO DOCKING		
SATELLITE 2250CDT	CELERON 600	12.1	800 x 600	ES1978S	NO DOCKING		
SATELLITE 4000CDT	P2 233	12.1	800 x 600	Yamaha OPL3-SA3	NO DOCKING		
SAT PRO 400CDT	P1 75	10.4	640 x 480	ESS688 & YMF262	PA2711		
SAT PRO 410CDT	P1 90	11.3	800 x 600	ESS688 & YMF262	PA2711		
SAT PRO 420CDT	P1 100	11.3	800 x 600	ESS688 & YMF262	PA2711		
SAT PRO 430CDT	P1 120	11.3	800 x 600	ESS688 & YMF262	PA2711		
SAT PRO 440CDT	P1 133	12.1	800 x 600	Yamaha OPL3-SA3	PA2717		
SAT PRO 460CDT	P1 166	12.1	800 x 600	Yamaha OPL3-SA3	PA2717		
SAT PRO 470CDT	P1 200	12.1	800 x 600	Yamaha OPL3-SA3	PA2717		
SAT PRO 480CDT	P1 233	12.1	800 x 600	Yamaha OPL3-SA3	PA2717		
SAT PRO 490CDT	P2 233	12.1	800 x 600	Yamaha OPL3-SA3	PA2717		
SAT PRO 490XCDT	P2 266	13.3	1024 x 768	Yamaha OPL3-SA3	PA2717		
SAT PRO 4220XCDT	P3 450	14	1024 x 768	?	PA2731	PA3024 (NO MIDI)	
SAT PRO 4260DVD	P3 450	13.3	1024 x 768	YMF744B-R	PA2731	PA3024 (NO MIDI)	
SAT PRO 4280XDVD	P3 500	14.1	1024 x 768	YMF744B-R	PA2731	PA3024 (NO MIDI)	
SAT PRO 4280ZDVD	P3 500	15	1024 x 768	YMF744B-R	PA2731	PA3024 (NO MIDI)	
TECRA 500CDT	P1 120	12.1	800 x 600	CS4232 & YMF262	PA2710U DSV+	PA2713	
TECRA 510CDT	P1 133	12.1	800 x 600	CS4232 & YMF262	PA2710U DSV+	PA2713	

TECRA 520CDT	P1 166	12.1	1024 x 600 or 1024 x 768	Yamaha OPL3-SA3	PA2710U DSV+	PA2713	
TECRA 530CDT	P1 166MMX	12.1	1024 x 768	Yamaha OPL3-SA3	PA2710U DSV+	PA2713	
TECRA 540CDT	P1 233	12.1	1024 x 768	Yamaha OPL3-SA3	PA2710U DSV+	PA2713	
TECRA 550CDT	P1 266	12.1	1024 x 768	Yamaha OPL3-SA3	PA2710U DSV+	PA2713	
TECRA 700CT	P1 120	11.3	?	ESS688 & YMF262	PA2712U DSV	?	
TECRA 710CDT	P1 133	12.1	800 x 600	?	PA2710U DSV+	PA2713	
TECRA 720CDT	P1 133	12.1	1024 x 768	ESS4232 & YMF262	PA2710U DSV+	PA2713	
TECRA 730CDT	P1 150	12.1	1024 x 768	ESS4232 & YMF262	PA2710U DSV+	PA2713	
TECRA 730XCDT	P1 150MMX	12.1	1024 x 768	ESS4232 & YMF262	PA2710U DSV+	PA2713	
TECRA 740CDT	P1 166MMX	13.3	1024 x 768	ESS4232 & YMF262	PA2710U DSV+	PA2713	
TECRA 750DVD	P1 233MMX	13.3	1024 x 768	OPL3-SA3 + OPL4-ML2	PA2710U DSV+	PA2716	
TECRA 750CDM	P1 233MMX	13.3	1024 x 768	OPL3-SA3 + OPL4-ML2	PA2710U DSV+	PA2716	
TECRA 750CDT	P1 233MMX	13.3	1024 x 768	OPL3-SA3 + OPL4-ML2	PA2710U DSV+	PA2716	
TECRA 780CDM	P2 266	13.3	1024 x 768	Yamaha OPL3-SA3	PA2710U DSV+	PA2716	
TECRA 780DVD	P2 266	13.3	1024 x 768	Yamaha OPL3-SA3	PA2710U DSV+	PA2716	
TECRA 8000	P2 366	14.1	1024 x 768	Yamaha OPL3-SA3	PA2710U DSV+	PA2716	PA2724
TECRA 8000	P2 400	14.1	1024 x 768	Yamaha OPL3-SA3	PA2710U DSV+	PA2716	PA2724
TECRA 8000	P3 500	14.1	1024 x 768	Yamaha OPL3-SA3	PA2710U DSV+	PA2716	PA2724
TECRA 8100	P3 600 to P3 850	14.1	1024 x 768	YMF744B-R	PA3017	PA3018	PA3017
	SIX MODELS				NO MIDI / JOYSTICK PORT		