

DIP 1 5760
DIP 2 8660
DIP 3 17400
DIP 4 34800
DIP 5 69800

base 7500

Voltage	DIP1	DIP2	DIP3	DIP4	DIP5	Real R	Rquired R	Real Out	% off, pos or neg
1.6						7500	7582.4	1.61	0.625
1.7					1	6772.3	6831.7	1.708854	0.521
1.8				1		6170.2	6216.2	1.808276	0.46
1.9				1	1	5669.1	5702.5	1.90713	0.375
2			1			5241	5267.2	2.006552	0.328
2.1			1		1	4874.9	4893.6	2.105406	0.257
2.2			1	1		4555	4569.5	2.204828	0.219
2.3			1	1	1	4275.9	4285.7	2.303681	0.16
2.4		1				4019.2	4035.1	2.406767	0.282
2.5		1			1	3800.4	3812.2	2.505621	0.225
2.6		1		1		3603.1	3612.6	2.605043	0.194
2.7		1		1	1	3426.2	3432.8	2.703896	0.144
2.8	1					3257.9	3270.1	2.807917	0.283
2.9	1				1	3112.6	3122.2	2.906771	0.233
3	1			1		2979	2987	3.006193	0.206
3.1	1			1	1	2857.1	2863.1	3.105046	0.163
3.2	1		1			2744.1	2749	3.204468	0.14
3.3	1		1		1	2640.3	2643.7	3.303322	0.101
3.4	1		1	1		2543.5	2546.1	3.402744	0.081
3.5	1		1	1	1	2454.1	2455.5	3.501598	0.046
3.6	1	1				2367.3	2371.1	3.604683	0.13
3.7	1	1			1	2289.7	2292.4	3.703537	0.096
3.8	1	1		1		2216.5	2218.6	3.802959	0.078
3.9	1	1		1	1	2148.3	2149.5	3.901813	0.046
4	1	1	1			2083.8	2084.6	4.001235	0.031