

EPoX Recommended Processor List

March 11, 2002 Release

Contents

2. AMD Slot A
Athlon
3. AMD Socket A
Athlon & Duron
4. Intel Socket 370, PGA370, PPGA, FC-PGA
Pentium III & Celeron
6. Intel Slot 1, SC242
Pentium II & Pentium III
7. Intel Socket 423/478
Pentium 4
8. VIA C3 Socket 370
Samuel-1, Samuel-2, & Ezra

All specifications subject to change without notice. Pentium®, Pentium® II, Pentium® III, and Celeron are registered tradenames of Intel Corp. AMD, AMD Athlon, AMD Duron and combinations thereof are trademarks of Advanced Micro Devices Inc. All other trademarks and registered trademarks are the property of their respective companies. Specifications and recommendations subject to change without notice.

©2002 EPoX and EPoX logo are registered trademarks of EPoX Computer Co., Ltd., Taiwan.



AMD Slot A Recommended Processors List

Model	BIOS	REV	Athlon (Classic) 200MHz											
			500	550	600	650	700	750	800	850	900	950	1000	
EP-7KXA	n/a	0.3	Y	Y	Y	Y	Y	Y	Y	Y	x	x	x	
EP-7KXA	n/a	0.4	Y	Y	Y	Y	Y	Y	Y	Y	Y	x	x	
EP-7KXA+	n/a	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	x	

Y Recommended
x Not supported.

NOTES: BIOS and REV fields list minimum requirements. All newer releases and REV numbers greater than those listed are acceptable unless otherwise noted. The REV (revision) number of your motherboard is written in white silk screen letters in the upper hand left corner of the motherboard. For processors with newer performance enhancing cache (a.k.a. Thunderbird) see EPoX Knowledge base article #1268 (EP-7KXA) or #1470 (EP-7KXA+) for more information. Specifications and recommendations subject to change without notice. Last modified 02/05/2002 JRH.

AMD Socket A Recommended Processors List

Model	BIOS	REV	Duron (Classic) 200MHz								Duron (Morgan) 200MHz						Athlon (T-bird) 200MHz										Athlon (T-bird) 266MHz							Athlon XP						Athlon (Other)																																																																																																																																																																																																																																																																					
			600	650	700	750	800	850	900	950	900	950	1000	1100	1200	1300	1400	700	750	800	850	900	950	1000	1100	1200	1300	1400	1000	1133	1200	1267	1300	1333	1400	1500+	1600+	1700+	1800+	1900+	2000+	1200 [*]	1000 ^{**}	1200 ^{***}																																																																																																																																																																																																																																																																	
EP-8K7A	11/26/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																															
EP-8K7A	11/26/01	1.2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																														
EP-8K7A+	11/26/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																													
EP-8K7A+	11/26/01	1.2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																											
EP-8KEM	6/7/01	0.2	Y	Y	Y	Y	Y	Y	Y	Y								Y	Y	Y	Y	Y	Y					Y	Y	Y																																																																																																																																																																																																																																																																															
EP-8KEM	6/7/01	1.1	Y	Y	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y	Y	Y	Y	Y			Y	Y	Y	Y	Y																																																																																																																																																																																																																																																																													
EP-8KEM2	8/13/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y											Y	Y																																																																																																																																																																																																																																																																
EP-8KHA	12/10/01	1.1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y												Y	Y	Y	Y																																																																																																																																																																																																																																																												
EP-8KHA	12/10/01	1.3	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																									
EP-8KHA+	12/10/01	1.3	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																									
EP-8KHA+	12/10/01	2.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																									
EP-8KHAL	12/10/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																									
EP-8KHM	9/25/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y																																																																																																																																																																																																																																																																																								
EP-8KLM	3/26/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																																																																		
EP-8KLM2	10/24/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																																																			
EP-8KTA	9/20/00	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																																																					
EP-8KTA+	8/2/00	0.2	Y	Y	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																																																					
EP-8KTA+	8/2/00	1.2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																																																					
EP-8KTA2	4/17/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																																																			
EP-8KTA2L	10/26/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																																																			
EP-8KTA3	8/21/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																																										
EP-8KTA3+	11/6/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																									
EP-8KTA3+PRO	12/11/01	0.1	Y	Y	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																							
EP-8KTA3+PRO	12/11/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																						
EP-8KTA3L	5/15/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																							
EP-8KTA3L+	1/3/02	0.1	Y	Y	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																			
EP-8KTA3L+	1/3/02	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																	
EP-8KTA3PRO	9/19/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y				Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y																																																																																																																																																																																																																																																		
EP-8KTM	12/1/01	n/a	Y	Y	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y																																																																																																																																																																																																																																																																																									
EP-8KTM3	10/23/01	0.2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	

Y Recommended
 * Athlon MP (AHX)
 ** Athlon Palomino (AHD)
 *** Athlon Palomino (AHD)

NOTES: BIOS and REV fields list minimum requirements. All newer releases and REV numbers greater than those listed are acceptable unless otherwise noted. The REV (revision) number of your motherboard is written in white silk screen letters in the upper hand left corner of the motherboard. Specifications and recommendations subject to change without notice. Last modified 03/11/2002 JRH.

Intel Socket 370 Recommended Processors List

Model	BIOS	REV	Celeron (0.18 micron)											Celeron		Pentium III (Coppermine)																	Pentium III							
			FC-PGA											FC-PGA2		FC-PGA																	FC-PGA2							
			566	600	677	700	766	800	850	900	950	1000	1100	1200	1300	500E	550E	600E	600EB	650	667	700	733	750	800	800EB	850	866	933	1000	1130	1000ED	1000EBD	D1.1E	D1.13EB	1000	1130	1200		
All Models	n/a	n/a	>>> Note: Celeron PPGA370 Classic style processors supported 333 to 500MHz on all models. <<<																																					
CU-133A	7/19/00	1.0	Y	Y	Y	Y										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y				
CU-133A+	12/22/01	1.1	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			
CU-133A+	12/22/01	1.2	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Y		Y	Y				
EP-3BXA	6/8/00	1.0	Y	Y	Y	Y	Y									Y	Y	Y		Y		Y	Y	Y		Y		Y												
EP-3ETM	10/4/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3ETM	10/4/01	1.2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
EP-3PTA	11/15/01	0.1	Y	Y	Y	Y	Y	Y	Y	Y						Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3PTA	11/15/01	1.1	Y	Y	Y	Y	Y	Y	Y	Y				Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3PTM	10/5/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y				Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3PTM	10/5/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y				Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3S1A	11/10/00	1.0	Y	Y	Y	Y										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3S1M	7/14/00	1.0	Y	Y	Y	Y										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3S2A	11/20/00	1.0	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3S2A5	10/20/00	1.2	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3S2MM	3/29/01	0.1	Y	Y	Y											Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Y		Y	Y				
EP-3SLA	n/a	1.0	Y	Y	Y	Y										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y												
EP-3SPA	3/14/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y						Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3SPA3 *	11/20/00	1.0	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3SPA3L *	6/12/01	1.0	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Y		Y	Y				
EP-3SPM	12/6/00	n/a	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3VB	1/25/00	0.2																																						
EP-3VB+	8/31/00	0.3				Y										Y	Y	Y		Y		Y		Y	Y															
EP-3VBA	11/9/99	0.5																																						
EP-3VBA+	1/27/00	1.0	Y	Y																																				
EP-3VBA3	7/25/00	1.3	Y	Y	Y	Y										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3VBM	11/9/99	0.5																																						
EP-3VBM+	9/13/00	1.0														Y	Y	Y		Y		Y		Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3VBM+	9/13/00	1.5	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3VCA	7/28/00	0.3														Y	Y	Y		Y		Y		Y	Y		Y													
EP-3VCA	7/28/00	1.1	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3VCA2	10/3/00	1.1														Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3VCA2	10/3/00	1.2	Y	Y	Y	Y										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3VCA2+	8/17/00	1.2	Y	Y	Y	Y										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		

Chart and special notes continued on next page.

Intel Socket 370 Recommended Processors List

Model	BIOS	REV	Celeron (0.18 micron)											Celeron		Pentium III (Coppermine)																	Pentium III							
			FC-PGA											FC-PGA2		FC-PGA																	FC-PGA2							
			566	600	677	700	766	800	850	900	950	1000	1100	1200	1300	500E	550E	600E	600EB	650	667	700	733	750	800	800EB	850	866	933	1000	1130	1000ED	1000EBD	D1.1E	D1.13EB	1000	1130	1200		
All Models	n/a	n/a	>>> Note: Celeron PPGA370 Classic style processors supported 333 to 500MHz on all models. <<<																																					
EP-3VSM	11/14/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-3VWB	7/17/01	0.2	Y	Y	Y	Y	Y	Y	Y	Y	Y					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Y	Y					
EP-3VWB+	9/21/01	0.2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y			Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Y	Y					
EP-3VWM	6/28/00	0.3	Y	Y	Y	Y	Y									Y	Y	Y		Y		Y	Y	Y		Y														
EP-3VWM+	2/15/01	1.1	Y	Y	Y	Y	Y	Y								Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y									
EP-3VWM2	2/15/01	1.1	Y	Y	Y	Y	Y	Y	Y							Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y									
EP-3WEM	5/11/00	0.2	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y													
EP-3WTM	11/21/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
EP-3WTM2	11/21/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
EP-3WXA4	11/23/99	0.3																																						
EP-3WXA4Y	11/23/99	0.4																																						
EP-3WXM/C	5/11/00	1.0														Y	Y	Y		Y		Y		Y	Y		Y													
EP-3WXM4	11/23/99	0.3																																						
EP-693A	7/25/00	2.0	Y	Y	Y	Y										Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y										
EP-694A	11/8/00	1.0	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y									
EP-694M	11/8/00	0.1	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y									
EP-BX7	7/26/00	1.0	Y	Y	Y	Y	Y									Y				Y		Y	Y	Y		Y														
EP-BX7+	7/26/00	1.0	Y	Y	Y	Y	Y									Y	Y	Y		Y		Y	Y		Y		Y													
EP-BX7+100	7/26/00	1.0	Y	Y	Y	Y	Y									Y	Y	Y		Y		Y		Y	Y		Y													
EP-D3VA *	2/5/01	0.3	See special note below.													Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y									
PL-604M	9/19/00	0.1	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y										

Y	Recommended
*	See special note.

NOTES: BIOS and REV fields list minimum requirements. All newer releases and REV numbers greater than those listed are acceptable unless otherwise noted. The REV (revision) number of your motherboard is written in white silk screen letters in the upper hand left corner of the motherboard.

Jumper settings: If your motherboard does not contain the necessary jumper settings for processors 550MHz or above simply set the correct FSB and the processor will be detected correctly. Intel processors are multiplier locked and will ignore the multiplier on the board.

EP-D3VA special note: Dual Celeron processors are not supported. Also not all Pentium III FC-PGA processors support dual processing configurations. Check the Intel documentation for more details. We recommend same speed and processor steppings for both processors when using dual processor.

EP-3SPA3 & EP-3SPA3L special note: Intel retail heatsinks not recommended do to space considerations. OEM heatsinks solutions are suggested (60mm x 60mm).

Specifications and recommendations subject to change without notice. Last modified 03/11/2002 JRH.

Intel Slot 1 Recommended Processors List

Model	BIOS	REV	Pentium III SC242																
			450	500	550	550E	600 / E	600EB	667	700	750	733	800	800EB	850	866	933	1000	
			>>> Note: Pentium II SC242 at 233 to 450MHz and Celeron SEP at 333 to 433MHz supported on all models. <<<																
All Models	n/a	n/a	Y	Y	Y		Y												
EP-61BXA-M **	11/4/99	0.5	Y	Y	Y		Y												
EP-61BXC-A	11/4/99	0.3	Y	Y	Y														
EP-6BXM	6/17/99	0.3	Y	Y	Y														
EP-6BXM-A	6/2/99	0.2	Y	Y	Y	Y	Y			Y	Y								
EP-6CXA2C	11/11/99	0.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-6VB	11/19/99	0.2	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y							
EP-6VBA	9/13/00	1.0	Y	Y	Y	Y	Y			Y	Y		Y		Y				
EP-6VBA2	10/20/00	1.0	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
EP-6VBE	11/29/99	0.2	Y	Y	Y	Y	Y			Y	Y								
EP-6WEA4I	11/18/99	0.3	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y						
EP-6ZXI	11/4/99	0.2	Y	Y	Y														
EP-BX3	11/4/99	0.5	Y	Y	Y	Y	Y			Y	Y		Y						
EP-BX5	8/26/99	0.1	Y	Y	Y														
EP-BX5-C	11/26/99	0.2	Y	Y	Y	Y	Y			Y	Y								
EP-BX6	3/6/00	0.3	Y	Y	Y	Y	Y			Y	Y		Y						
EP-BXB-S *	n/a	0.1	Y	Y	Y	Y	Y			Y	Y								
EP-ZXA **	12/17/98	0.4	Y	Y	Y														
KP6-BS *, **	n/a	0.2	Y	Y	Y	Y	Y			Y	Y								
P2-112A	5/13/99	0.4	Y	Y	Y														
P2-133A	11/19/99	0.4	Y	Y	Y														

- Y Recommended
 * See special note.
 ** Using 2Mb BIOS chip.

NOTES: BIOS and REV fields list minimum requirements. All newer releases and REV numbers greater than those listed are acceptable unless otherwise noted. The REV (revision) number of your motherboard is written in white silk screen letters in the upper hand left corner of the motherboard.

Jumper settings: If your motherboard does not contain the necessary jumper settings for processors 550MHz or above simply set the correct FSB and the processor will be detected correctly. Intel processors are multiplier locked and will ignore the multiplier on the board.

EP-BXB-6 & KP6-BS special note: Dual Celeron processors are not supported. We recommend same speed and processor steppings for both processors when using dual processor.

Specifications and recommendations subject to change without notice. Last modified 02/05/2002 JRH.

Intel Socket 423/478 Recommended Processors List

Model	BIOS	REV	Pentium 4 Willamette 478 FC-PGA2								Pentium 4 423 OLGA								Pentium 4 Northwood 478 FC-PGA2							
			1300	1400	1500	1600	1700	1800	1900	2000	1300	1400	1500	1600	1700	1800	1900	2000	1500	1600	1700	1800	1900	2000	2200	
EP-4B2A	11/6/01	1.1	Y	Y	Y	Y	Y	Y																		
EP-4B2A	11/6/01	1.3	Y	Y	Y	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	
EP-4B2A2	9/3/01	0.2	Y	Y	Y	Y	Y	Y	Y	Y																
EP-4B2A2	9/27/01	1.0	Y	Y	Y	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	
EP-4B2A2+	9/3/01	0.2	Y	Y	Y	Y	Y	Y	Y	Y																
EP-4B2A2+	2/28/02	1.0	Y	Y	Y	Y	Y	Y	Y	Y										Y	Y	Y	Y	Y	Y	
EP-4B2A2L+	9/3/01	0.2	Y	Y	Y	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	
EP-4B2AE	8/14/01	1.2									Y	Y	Y	Y	Y	Y	Y	Y								
EP-4B2M	2/5/02	1.2			Y	Y	Y	Y											Y	Y	Y	Y				
EP-4B2M+	7/10/01	1.2			Y	Y	Y	Y											Y	Y	Y	Y				
EP-4BDA	11/5/01	0.1			Y	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	
EP-4BDA2+	11/5/01	0.1			Y	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	
EP-4BDA3	2/27/02	0.1							Y	Y														Y	Y	
EP-4SDA	1/31/02	0.1			Y	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	
EP-4SDA+	1/31/02	0.1			Y	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	
EP-4T2A	8/23/01	1.0									Y	Y	Y	Y	Y	Y	Y	Y								
EP-4T2A3	1/2/02	1.0	Y	Y	Y	Y	Y	Y	Y	Y									Y	Y	Y	Y	Y	Y	Y	

Y Recommended

NOTES: BIOS and REV fields list minimum requirements. All newer releases and REV numbers greater than those listed are acceptable unless otherwise noted. The REV (revision) number of your motherboard is written in white silk screen letters in the upper hand left corner of the motherboard. Specifications and recommendations subject to change without notice. Last modified 03/11/2002 JRH.

VIA C3 Socket 370 Recommended Processors List

Model	BIOS	REV	C3 Samuel-1										C3 Samuel-2								C3 Ezra			
			500 (100x5)	533 (133x4)	550 (100x5.5)	600 (133x4.5)	600 (100x6)	650 (100x6.5)	667 (133x5)	700 (100x7)	733 (133x5.5)	750 (100x7.5)	533A (133x4)	600A (133x4.5)	650A (600x6.5)	667A (133x5)	700A(100x7)	733A (133x5.5)	750A (100x7.5)	800A (133x6)	800A (133x6)	866A (133x6.5)	900A (100x9)	933A (133x7)
CU-133A	6/13/00	n/a	Y	Y	Y	Y																		
CU-133A+	12/22/00	n/a	Y	Y	Y	Y																		
EP-3S1M	7/14/00	1.0	Y		Y																			
EP-3S2A	11/10/00	1.1					Y																	
EP-3S2A5	10/20/00	1.2			Y		Y																	
EP-3S2MM	2/15/01	0.1								Y														
EP-3SPA	1/4/02	1.0	Y	Y	Y	Y	Y		Y	Y			Y	Y								Y	Y	
EP-3SPA3	11/20/00	1.0		Y	Y	Y	Y																	
EP-3SPM	12/6/00	n/a			Y	Y																		
EP-3VBA+	n/a	1.1	Y	Y	Y	Y																		
EP-3VBA3	6/14/00	1.3	Y	Y	Y	Y																		
EP-3VBM+	6/14/00	1.3	Y	Y	Y	Y																		
EP-3VCA	7/28/00	1.0	Y	Y	Y	Y																		
EP-3VCA2	6/8/00	1.0	Y	Y	Y	Y	Y																	
EP-3VCM	7/19/00	0.1	Y	Y	Y	Y																		
EP-3VCMi+	2/19/01	n/a	Y	Y	Y	Y																		
EP-3VHA	3/9/01	1.0	Y	Y	Y	Y	Y		Y	Y	Y		Y	Y										
EP-3VSA	5/29/01	0.1						Y					Y		Y		Y							
EP-3VSA2	6/19/01	n/a														Y	Y	Y	Y					
EP-3VWB	7/17/01	0.2	Y	Y	Y	Y		Y	Y	Y	Y	Y	Y											
EP-3VWB+	n/a	n/a																				Y		
EP-3VWM	9/21/01	1.1	Y		Y														Y					
EP-3VWM+	2/15/01	1.1		Y		Y																		
EP-3VWM2	5/30/01	1.1	Y	Y	Y	Y	Y		Y	Y														
EP-3WEM	7/13/00	0.2	Y		Y																			
EP-3WTM	1/17/02	0.2	Y	Y	Y	Y	Y	Y														Y	Y	
EP-3WTM3	2/2/02	n/a					Y												Y					
EP-693A	6/14/00	2.0	Y	Y	Y	Y																		
EP-694A	10/17/00	1.1	Y	Y	Y	Y																		
EP-694M	11/8/00	n/a		Y	Y	Y	Y																	
EP-BX7	7/26/00	1.0		Y	Y	Y																		
EP-BX7+	7/26/00	1.0		Y	Y	Y																		
EP-BX7+100	7/26/00	1.0		Y	Y	Y																		

Y Recommended

NOTES: BIOS and REV fields list minimum requirements. All newer releases and REV numbers greater than those listed are acceptable unless otherwise noted. The REV (revision) number of your motherboard is written in white silk screen letters in the upper hand left corner of the motherboard. Specifications and recommendations subject to change without notice. Last modified 03/11/2002 JRH.